

RAT POISON

DIPHOX BLOCK

Rev. 3 of 28/09/2020



READY-FOR-USE DIFENACOUM-BASED WAXED BLOCK RODENTICIDE BAIT - FOR PROFESSIONAL USE -

COMPOSITION

Difenacoum (No. CAS 56073-07-5)	gr. 0,005
Denatonium Benzoate (No. CAS 3734-33-6)	gr. 0,001
Palatable and attractive substances, and preservatives	quantum satis for gr. 100

CHARACTERISTICS

DIPHOX BLOCK is a rodenticide bait with at its base the anticoagulant active substance known as Difenacoum, which is effective against House Mouse (*Mus musculus*), Grey Rat (*Rattus norvegicus*), and Black Rat (*Rattus rattus*) even after a single ingestion. Its formulation consists of a waxed block that is palatable for the rodents' species mentioned above. The product does arouse neither alarm nor suspicions among the other members of the rodents' population.

DIPHOX BLOCK contains a bitter substance aimed at preventing children from swallowing it accidentally. **DIPHOX BLOCK** can be used inside and around industrial buildings (including storehouses, warehouses, and ship holds), rural and civil buildings, houses, basements, garages, storerooms, gardens, and outbuildings.

DOSES AND MODES OF USE

The product must be employed in accordance with the doses below. Avoid touching the product with bare hands and wear appropriate gloves. The rodenticide bait must be inserted in an appropriate container, protected against atmospheric agents, the ingestion by non-target species and so that to avoid dispersion into the environment. Observe the infested area and put bait containers at burrows, along the rodents' paths and in the places where they are mostly present. Containers must be placed at a distance of about 5-10 metres from one another.

Recommended doses are:

House Mouse (*Mus musculus*): 2 baits of 20 g. per container

Grey Rat (*Rattus norvegicus*): 3-5 baits of 20 g. per container

Black Rat (*Rattus rattus*): 3-5 baits of 20 g. per container

Before the treatment, where possible, inform any bystanders of the ongoing deratization campaign. Do not use the products for more than 35 days without an evaluation of the infestation level and of the treatment effectiveness. When you place bait points near surface waters (such as rivers, ponds, canals, dams, and irrigation channels) or water drainage systems, ensure that the bait does not come into contact with water. Between one application and the subsequent one, do not wash bait containers or the tools used in covered and protected bait points with water. Dispose of dead rodents according to the regulations in force. At the end of the treatment, dispose of the non-consumed bait and the package according to the regulations in force. Store in a dry, fresh and well-ventilated place. Store the container closed and far from the sun direct light. Store in a place not accessible to children, pets, and farm animals.

LABELLING



HAZARD STATEMENTS

H360D May damage the unborn child. **H373** Causes damage to organs (BLOOD) through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS

P102 Keep out of reach of children. **P202** Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves. **P308 + P313** IF exposed or concerned, get medical advice. **P501** Dispose of contents and containers as hazardous and special waste according to national regulations.

Registration	Item Code	Packages	Carton
BIUCIDAL PRODUCT (PT14) Authorisation of the Ministry of Health no. IT/2012/00012 AUT	DR0PARADIPH1	Rodenticide baits in waxed blocks of 20 g each	CT: 20 Kg